



FARO Technologies Inc  
250 Technology Park  
Lake Mary FL 32746-7115  
Phone No: (866)874-1149  
Fax No: (407)562-5216  
Email: Robert.Burt@faro.com

**Remit to:**  
FARO Technologies, Inc.  
P.O. Box 116908  
Atlanta, GA 30368-6908





**Quotation No:** 20002561  
**Quote Date:** 11/05/2014  
**Expiration Date:** 12/05/2014  
**Regional Manager:** Steven Albrecht  
**Account Manager:** Shawn Smith  
**Sales Support:** Robert Burt  
**Ship:** Ground  
**Payment Terms:** Upon Receipt  
**Delivery Terms:** EXW Ex Works  
**Delivery Date:** 2-6 Weeks


**Bill To :**  
Florida Atlantic University  
777 Glades Road Bldg EG-36  
Room 222  
Boca Raton FL 33431  
US

**Ship To :**  
Florida Atlantic University  
Jeffrey Huber  
777 Glades Road Bldg EG-36  
Room 222  
Boca Raton FL 33431  
US



Qty	Item No.	Description	Unit Price	Ext. Price
1	S-7-330-UNI	Focus 3D-X330-University Laser Scanner Focus3D X330. Ships with: 1 Focus3D-X330, with GPS, compass, altimeter (barometer), dual-axis compensator and WLAN, 1 PowerBlock battery, 1Power Dock, 1 32GB SD card, 1 SD card reader, 1 SD card cover, 1 Optical cleaning set 1 Quick charge power supply 1 Car power supply 1 Ruggedized protection and transport cover in aluminium 1 Panorama Quick Release 1 rugged transport case with wheels 10 licenses SCENE software version 5.2, 1 year maintenance contract for SCENE software. Training Please notice: the Leadtime may take 6 weeks or more after receipt of written order. Price reflects educational discount.	49,990.00	49,990.00

Qty	Item No.	Description	Unit Price	Ext. Price
1	TR-LS-SCN-POS	Laser Scanner Tr. - FARO Fac. - Inc  3 Day course for two (2) trainees at an approved FARO training facility that discusses LS operation, setup, and basic measurements. NOTE: Classroom trainings are limited to six (6) trainees and are scheduled on a first come first served basis. Classes can be canceled within two weeks of the scheduled date if sufficient enrollment is not met. NOTE: Training will expire if not taken within 90 days of receipt of equipment.	0.00	0.00
				
1	SOFTS0371	SCENE - Soft Lock - Ntwk. Provides SCENE users with single soft lock network license which holds up to 50 licenses of SCENE. Soft lock will be programmed based on respective number of SCENE licenses purchased.	490.00	490.00
				
1	ACCSS6028	Carbon Fibre Tripod Kit, Cmpct, Focus3D High-level carbon fibre tripod including Quick Release with panoramic disc for Laser Scanner Focus3D	1,380.00	1,380.00
				
1	ACCSS6001	Power Block, Focus3D Power Block battery for Laser Scanner Focus3D	715.00	715.00
				

Qty	Item No.	Description	Unit Price	Ext. Price
1	ACCSS6016	Transport Backpack, Focus3D Transport Backpack for Laser Scanner Focus3D	340.00	340.00
				

-----	
<b>Order Total:</b>	52,915.00
<b>Shipping Total:</b>	24.00
-----	
<b>Total in USD:</b>	52,939.00

---

## Additional Information

---

### QUOTE TERMS

To accurately and promptly process your order, the following information is required with your Purchase Order:

1. Purchase Order Number (PO#)
2. Bill To AND Ship To Address (even if they are the same)
3. Net 30 or Sooner Payment Terms
4. Prepay and Add Freight Charges OR Collect (with your shippers Account #)
5. Method of Shipment (Best Way, Ground, Overnight, 2DAY)
6. FOB Origin or Destination (for GSA and Warranty ONLY Customers)
7. FARO Quote Number
8. PO Signed and Dated
9. Ship To State Tax Exemption Certificate OR acknowledgement to charge tax
10. Signed Credit Application (New Customers ONLY)

Quoted delivery terms are contingent upon timely receipt of all above listed items.

### CALIBRATION CAPABILITIES

FARO meets the calibration requirements of ISO 17025. If another calibration standard is required please discuss with your sales contact.

FARO follows the recommendation of the ASME B89.4.22-2004, Appendix J, in the application of the decision rule to testing results. This appendix states "B89 standards that adopt standards referencing ISO 14253-1 as a normative standard shall explicitly state a different default decision rule, where the 4:1 simple acceptance and rejection rule from B89.7.3.1 shall be the default rule unless a different rule is specified."